

Revision date: 16-Feb-2007 Version: 2.0 Page 1 of 7

# IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc
Pfizer Inc
Pfizer Pharmaceuticals Group
Ramsgate Road
235 East 42nd Street
Sandwich, Kent
New York, New York 10017
CT13 9NJ
1-212-573-2222
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number: Emergency telephone number:

Material Name: Somatropin For Injection (Single Dose Syringe: 0.6mg - 2.0mg)

Trade Name: Genotropin Miniquick®

**Synonyms:** Human Growth Hormone; HGH; Somatotropin

Chemical Family: Mixture

Intended Use: Pharmaceutical product for the treatment of human growth hormone deficiency.

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

## **Hazardous**

Ingredient	CAS Number	EU EINECS List	%
Somatropin	12629-01-5	235-735-8	30 - 59

Ingredient	CAS Number	<b>EU EINECS List</b>	%
Mannitol	69-65-8	200-711-8	*
Glycine	56-40-6	200-272-2	*
Sodium phosphate, dibasic	7558-79-4	231-448-7	*
Water	7732-18-5	231-791-2	*
Sodium phosphate, monobasic	7558-80-7	231-449-2	*

Additional Information: \* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

# 3. HAZARDS IDENTIFICATION

Appearance: White sterile lyophilized powder plus sterile diluent .

Signal Word: DANGER

Statement of Hazard: Toxic if swallowed.

May cause allergic skin reaction.

Suspected of damaging fertility or the unborn child.

**Additional Hazard Information:** 

Long Term: Animal studies indicate that this material may cause adverse effects on the blood, kidneys,

liver, mammary gland.

Known Clinical Effects: Adverse effects associated with the therapeutic use include glucose intolerance, fluid

retention, headache and effects on the thyroid. Individuals sensitive to this material or other materials in its chemical class may develop allergic reactions. Drugs of this class may cause

formation of antibodies.

Material Name: Somatropin For Injection (Single Dose Page 2 of 7

Syringe: 0.6mg - 2.0mg)
Revision date: 16-Feb-2007

Version: 2.0

EU Indication of danger: Harmful

Toxic to Reproduction; Category 3

**EU Hazard Symbols:** 



**EU Risk Phrases:** 

R22 - Harmful if swallowed.

R43 - May cause sensitization by skin contact. R62 - Possible risk of impaired fertility.

R63 - Possible risk of harm to the unborn child. Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

(NORSC):

Note:

This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your

workplace.

# 4. FIRST AID MEASURES

Eye Contact: Flush eye(s) immediately with plenty of water. If irritation occurs or persists, get medical

attention.

**Skin Contact:** Remove clothing and wash affected skin with soap and water. If irritation occurs or persists,

get medical attention.

**Ingestion:** Get medical attention. Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

# 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: No data available

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Not available

# 6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that

controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Material Name: Somatropin For Injection (Single Dose Page 3 of 7

Syringe: 0.6mg - 2.0mg)
Revision date: 16-Feb-2007

Version: 2.0

**Measures for Environmental** 

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

**Additional Consideration for Large** 

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

**General Handling:** Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes,

skin and clothing. When handling, use appropriate personal protective equipment (see Section

8). Wash thoroughly after handling.

**Storage Conditions:** Store as directed by product packaging.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Somatropin

Pfizer OEL TWA-8 Hr: 10ug/m³, Sensitizer

The exposure limit(s) listed for solid components are only relevant if dust or mist may be generated.

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

**Personal Protective Equipment:** 

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

**Eyes:** Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

# 9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:Lyophilized powder plus sterile diluentColor:WhiteMolecular Formula:MixtureMolecular Weight:Mixture

# 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions of use.

Conditions to Avoid: No data available Incompatible Materials: None identified

# 11. TOXICOLOGICAL INFORMATION

**General Information:** The information included in this section describes the potential hazards of the individual

ingredients.

Material Name: Somatropin For Injection (Single Dose Page 4 of 7 Syringe: 0.6mg - 2.0mg)

Revision date: 16-Feb-2007 Version: 2.0

## Acute Toxicity: (Species, Route, End Point, Dose)

#### **Mannitol**

Rat Oral LD 50 13500 mg/kg Mouse Oral LD 50 22 g/kg

#### Glycine

Rat Oral LD 50 7930 mg/kg Mouse Oral LD 50 4920 mg/kg

## Somatropin

Rat Oral LD50 242 mg/kg Rat Dermal LD50 1100 mg/kg Rat Inhalation LC50 1h 710 mg/m<sup>3</sup> LD50 Mouse Oral 828 mg/kg Mouse Intraperitoneal LD50 828 mg/kg

## <u>Irritation / Sensitization: (Study Type, Species, Severity)</u>

## Sodium phosphate, dibasic

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

### Somatropin

Skin Irritation Rabbit Negative Not specified Guinea Pig Positive

Antigenicity- Active anaphylaxis Guinea Pig Positive

Antigenicity- Passive cutaneous anaphylaxis Guinea Pig Positive

## Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

## Somatropin

1 Month(s) Rat Intramuscular 0.63 mg/kg/day NOAEL Mammary gland

3 Month(s) Rat Subcutaneous 0.37 mg/kg/day LOAEL Liver, Adrenal gland, Kidney 3 Month(s) Monkey Subcutaneous 0.125 mg/kg/day LOAEL Mammary gland, Blood

52 Week(s) Monkey Subcutaneous 0.63 mg/kg/day NOAEL Adipose tissue, Mammary gland, Reproductive system

### Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

# Somatropin

Embryo / Fetal Development Rat Subcutaneous 3.3 mg/kg/day **NOAEL** Not teratogenic **NOAEL** Embryo / Fetal Development Rabbit Intramuscular 0.3 mg/kg/day Not Teratogenic Embryo / Fetal Development Rat Subcutaneous 3.3 mg/kg/day LOAEL Fetotoxicity

Reproductive & Fertility Rat Subcutaneous 0.3 mg/kg/day NOAEL Fertility

Peri-/Postnatal Development Rat Subcutaneous 3.3 mg/kg/day NOAEL No effects at maximum dose

## Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

## Somatropin

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative
In Vitro Mammalian Cell Mutagenicity Mouse Lymphoma Negative
In Vivo Chromosome Aberration Rat Bone Marrow Negative
In Vitro Chromosome Aberration Human Lymphocytes Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Material Name: Somatropin For Injection (Single Dose Page 5 of 7

Syringe: 0.6mg - 2.0mg)
Revision date: 16-Feb-2007

Version: 2.0

# 12. ECOLOGICAL INFORMATION

**Environmental Overview:** Environmental properties have not been investigated. Releases to the environment should be

avoided.

# 13. DISPOSAL CONSIDERATIONS

**Disposal Procedures:** Dispose of waste in accordance with all applicable laws and regulations.

# 14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

EU Symbol: Xn EU Indication of danger: Harmful

Toxic to Reproduction; Category 3

**EU Risk Phrases:** 

R22 - Harmful if swallowed.

R43 - May cause sensitization by skin contact. R62 - Possible risk of impaired fertility.

R63 - Possible risk of harm to the unborn child.

**EU Safety Phrases:** 

S22 - Do not breathe dust.

S36/37 - Wear suitable protective clothing and gloves.

S53 - Avoid exposure - obtain special instructions before use.

**OSHA Label:** 

**DANGER** 

Toxic if swallowed.

May cause allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Canada - WHMIS: Classifications

Material Name: Somatropin For Injection (Single Dose Page 6 of 7 Syringe: 0.6mg - 2.0mg)

Revision date: 16-Feb-2007 Version: 2.0

#### WHMIS hazard class:

D1b toxic materials D2a very toxic materials D2b toxic materials



Somatropin

Standard for the Uniform Scheduling Schedule 4

for Drugs and Poisons:

EU EINECS List 235-735-8

**Mannitol** 

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS List

Present
200-711-8

**Glycine** 

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS List

Present
200-272-2

Sodium phosphate, dibasic

**CERCLA/SARA Hazardous Substances** = 2270 kg final RQ and their Reportable Quantities: = 5000 lb final RQ

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS List

231-448-7

Water

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Fresent

EU EINECS List

231-791-2

Sodium phosphate, monobasic

Inventory - United States TSCA - Sect. 8(b)PresentAustralia (AICS):PresentEU EINECS List231-449-2

# 16. OTHER INFORMATION

**Reasons for Revision:** Updated Section 3 - Hazard Identification. Updated Section 7 - Handling and Storage. Added

Pfizer OEL (Section 8). Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 14 - Transport Information. Updated

Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied.

Page 7 of 7

Material Name: Somatropin For Injection (Single Dose Syringe: 0.6mg - 2.0mg)

Revision date: 16-Feb-2007 Version: 2.0